## SUBCONTRACT TECHNICAL REPRESENTATIVE (STR) CHANGE NOTICE SEE INSTRUCTION SHEET FOR DISTRIBUTION AND SIGNATURE REQUIREMENTS

CHANGE NOTICE NUMBER	EFFECTIVE D	ATE	SUBCONTRACT NUMBER		COST OBJECT	
SUPPLIER:						
ADDRESS:						
THIS CHANGE NOTICE IS FORWARDED FOR YOUR SIGNATURE. COMPLETE THE RESPONSE SECTION OF THIS FORM AS REQUIRED AND RETURN THE ORIGINAL TO THE SUBCONTRACT TECHNICAL REPRESENTATIVE AND PROCUREMENT REPRESENTATIVE.						
DESCRIPTION OF CHANGE						
PRICING METHOD:	SUM UNI	T PRICE	<b>Т</b> &М	REIMBURS	ABLE N/A	
PROCEED WITH WORK			EED REQUIRED	SUBMIT PROF	POSAL WITHIN	DAYS
NO CHANGE IN PRICE AUTHO	RIZED NOT	TO EXCEED \$	<b>.</b>	DAYS		
□DRAWINGS/DATA ATTACHED □NO EXTENSION OF TIME						
PURCHASE REQUISITION #			REQUISITION APPROV	AL DATE:		
					DATE	
					DATE	
					DATE	
					DATE	
RESPONSE						
TO: CONSOLIDATED NUCLEAR SECURITY, LLC (CNS)  ACKOWLEDGE AND ACCEPT  ACKNOWLEDGE WITH EXCEPTIONS						
ACKOWLEDGE AND ACCEPT	_					
■ PROCEEDING WITH THIS CHANGE ■ ARE NOT PROCEEDING WITH THIS CHANGE						
A PROPOSAL						
EXCEPTIONS/COMMENTS (Attach other sheets as necessary to this document)						
		TITLE	<b>=</b>		DATE	

UCN-21329 (07-22) Page of

## SUBCONTRACT TECHNICAL REPRESENTATIVES (STR) CHANGE NOTICE INSTRUCTIONS SHEET

- 1. Copy must always be sent to Procurement Representative prior to being sent to the supplier.
- 2. T&M and Cost-Reimbursement type technical service agreement changes are permitted to be authorized by Procurement Representatives. All other contract types require a RFWD / SOW / ICR issue through contract modification if no warrant authority.
- 3. In preparation for emergency situations or situations where scope needs to progress forward pending a scope modification, Warrant Authority Delegation must be issued based on the process identified in the PPD, under the Administration of construction Agreements section. If you do not have the proper authority per requirements in the PPD, the transaction will be unauthorized commitment.

4. Procurement Representative, Project Controls, and Project Manager should all be included on final signature.

UCN-21329 (07-22) Page of