

Bid Opportunities for Equipment and Materials

		Request for Proposal		
Package ID	Description	Issue Date	Buyer	E-mail
VEN-F6-5023	Bulk Pipe (Non-Spooled) (RS)	FY17 2Q	Don Owens	donald.owens@cns.doe.gov
VEN-F6-5061	FLM Drains	FY17 2Q	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-P2-0124	PS Electric Steam Boiler Skid	FY17 3Q	Mike Hill	mike.hill@cns.doe.gov
VEN-F6-5160	Multi-Commodity Pipe Rack Module Fab BOA	FY17 2Q	Matt James	matthew.t.james@csn.doe.gov
VEN-F6-5030	Plumbing Pipe (LB and SB)	FY17 3Q	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F6-5135	Manual Valves (Butterfly)	FY17 3Q	Keith Mettler	keith.mettler@cns.doe.gov
VEN-P6-0639	Relief Valves	FY17 3Q	Don Owens	donald.owens@cns.doe.gov
VEN-F1-6604	TVA Substation Fire Hydrants	FY17 3Q	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F5-7674	Conductivity Transmitters	FY17 3Q	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F5-7683	Magnetic Flow Meters	FY17 Q3	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F1-6640	Fire Hydrants	FY17 Q3	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F6-5021	Bulk Pipe (Non-Spooled)	FY17 Q3	Don Owens	donald.owens@cns.doe.gov
VEN-F5-7689	Pressure Transmitters	FY17 Q3	Timothy Seales	timothy.seales@cns.doe.gov
VEN-P1-6645	Facility Liquid Management - P - Trap Hardware	FY17 Q3	Keri Smith	keri.smith@cns.doe.gov
VEN-F5-7697	Temperature Gauges	FY17 Q3	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-P2-0123	POG Primary Offgas Scrubber	FY17 Q3	Angie Martinson	angie.martinson@cns.doe.gov
VEN-F4-7242	Capacitor Banks	FY17 Q3	Annette Brooks	annette.brooks@csn.doe.gov
VEN-F1-6561	Air Handling Condensate Drains Collection Skid	FY17 Q3	Annette Brooks	annette.brooks@csn.doe.gov
VEN-F1-6540	Breathing Air Skid Package	FY17 Q3	Angie Martinson	angie.martinson@cns.doe.gov
VEN-F5-7683	Magnetic Flow Meters	FY17 Q3	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F1-6610	Potable Water BOOSTER PUMP Package	FY17 Q3	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F1-6551	Brine Make-up Tank Package	FY17 Q3	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F7-6140	Plumbing Fixtures	FY17 Q3	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-P2-0133	Recovery Evaporator	FY17 Q3	Annette Brooks	annette.brooks@csn.doe.gov

VEN-F6-5143	Buried Ductile Iron Valves for the Potable Lines	FY17 Q3	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F7-6160	Loading Dock and Truck Levelers	FY17 Q3	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F6-5025	Pencil Tank 5-inch Pipe	FY17 Q3	Don Owens	donald.owens@cns.doe.gov
VEN-F5-7685	pH Transmitters	FY17 Q3	Don Owens	donald.owens@cns.doe.gov
VEN-F5-7620	Control Valves (On/Off)	FY17 Q3	Garrett Smith	garrett.smith@cns.doe.gov
VEN-P3-0303	Strainers	FY17 Q3	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F5-7621	Control Valves (Throttle)	FY17 Q3	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F5-7674	Conductivity Transmitters	FY17 Q3	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F9-9060	Building Expansion Joints	FY17 Q3	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F1-6560	Instrument Air Package (includes Compressor)	FY17 Q3	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F1-6562	Air Vacuum Relief Valves	FY17 Q3	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F5-7688	Pressure Regulators	FY17 Q3	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F5-7687	Pressure Gauges	FY17 Q3	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F9-9040	PreCast Trench Boxes	FY17 Q4	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F6-5023	Spooled Pipe	FY17 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F6-5060	Spooled Pipe (CC)	FY17 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-51-7704	V-Cone Flowmeters (non-Q)	FY17 Q4	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F1-6554	Chilled Water Pumps	FY17 Q4	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F1-6550	Cooling Water Chillers	FY17 Q4	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F1-6555	Chilled Water Air Water Separator	FY17 Q4	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F1-6552	Chilled Water Chemical Shot Feeder	FY17 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-F1-6553	Chilled Water Expansion Tank	FY17 Q4	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F1-6556	Chilled Water Sediment Removal	FY17 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F5-7682	Level Transmitters - Radar	FY17 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F7-6130	Architectural Specialties	FY17 Q4	Keri Smith	keri.smith@cns.doe.gov
VEN-F6-5002	Pipe Hangers (Engineered) (CC)	FY17 Q4	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F5-7680	Level Switches	FY17 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-F5-7660	Tube Fittings & Valves (Q)	FY17 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F1-6570	Safety Shower Equipment	FY17 Q4	Matt James	matthew.t.james@cns.doe.gov
VEN-F2-8002	AHU Built-up Modular	FY17 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-P2-0122	PCW Cooling Water Heat Exchangers	FY17 Q4	Angie Martinson	angie.martinson@cns.doe.gov
VEN-F6-5190	Specialty Pipe Fittings	FY17 Q4	Timothy Seales	timothy.seales@cns.doe.gov

VEN-F1-6511	MonoRail Cranes	FY17 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-P3-0391	Fissile Canister and Sample Bottle Staging Racks	FY17 Q4	Annette Brooks	annette.brooks@csn.doe.gov
VEN-F5-7694	Temperature Transmitters	FY17 Q4	Angie Martinson	angie.martinson@cns.doe.gov
VEN-P2-0268	NDA Enrichment Measurement	FY17 Q4	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F1-6680	Drains Sump Pumps	FY17 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-P2-0278	Calcliner Offgas Spray Towers Demisters	FY17 Q4	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F1-6532	Miscellaneous FLEX HOSE (FLX)	FY17 Q4	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F5-7640	Instrument Stand and Racks	FY17 Q4	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F5-7513	Security Alarms	FY17 Q4	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F4-7083	Variable Frequency Drives (VFD)	FY17 Q4	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F4-7233	DC Batteries, Chargers and Switchboards	FY17 Q4	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-P7-0710	PSF Tanks	FY17 Q4	Jim Thomas	james.thomas@cns.doe.gov
VEN-F4-7190	Forklift Charging Stations	FY17 Q4	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F5-7693	Solenoid Valves	FY17 Q4	Donald Owens	donald.owens@cns.doe.gov
VEN-F4-7021	13.8/480V Unit Substations (CC)	FY17 Q4	Angie Martinson	angie.martinson@cns.doe.gov
VEN-F4-7020	Medium Switchgear (13.8kV/Q460 Switchgear)	FY17 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-F2-8006	AHU Computer Room Type	FY17 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F1-6660	Rubber and Metal Expansion Joints (EXP)	FY17 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F5-7640	Instrument Stand and Racks	FY17 Q4	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F5-7511	Security Video System	FY17 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F5-7676	Gas Detectors	FY17 Q4	Annette Brooks	annette.brooks@csn.doe.gov
VEN-F5-7678	Head Type DP Flow Meters	FY17 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F1-6571	Safety Shower Tempered Water Unit	FY17 Q4	Keri Smith	keri.smith@cns.doe.gov
VEN-F2-8001	Air Handling Unit - Custom Air	FY17 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F4-7071	Distribution Panel Boards	FY17 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F2-8022	Equipment Rooms Utility Fans	FY17 Q4	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F4-7080	UPS (Uninterruptible Power Supply)	FY17 Q4	Mike Hill	mike.hill@cns.doe.gov
VEN-F4-7232	Remote Starters	FY17 Q4	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F1-6630	Excess Flow Valves	FY17 Q4	Donald Owens	donald.owens@cns.doe.gov

VEN-F5-7512	Personnel Monitoring Equipment	FY18 Q1	Keri Smith	keri.smith@cns.doe.gov
VEN-F4-7090	Miscellaneous Electrical Bulk Components	FY18 Q1	Garrett Smith	garrett.smith@cns.doe.gov
VEN-F4-7100	Power Monitoring (PCMS Server & Hardware)	FY18 Q1	Devon Crass	ronnie.crass@cns.doe.gov
VEN-P3-0319	CMREC and SPOXD Walk-in-Enclosures	FY18 Q1	Mike Hill	mike.hill@cns.doe.gov
VEN-F7-6023	Access Doors/Hatches	FY18 Q1	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F6-5141	Flange Bolts	FY18 Q1	Angie Martinson	angie.martinson@cns.doe.gov
VEN-P6-0644	Sintered Metal Filter Assemblies	FY18 Q1	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F5-7591	Telecommunication Network (UTN/CTN) Bulks	FY18 Q1	Garrett Smith	garrett.smith@cns.doe.gov
VEN-F5-7671	Actuated Ball Valves	FY18 Q1	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F5-7672	Control Valves (Q - On/Off)	FY18 Q1	Devon Crass	devon.crass@cns.doe.gov
VEN-P2-0157	Arc Melter	FY18 Q1	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F6-5180	Cable Tray and Conduit Supports	FY18 Q1	Don Owens	donald.owens@cns.doe.gov
VEN-P2-0131	Phase Separators & Coalescers	FY18 Q1	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F6-5142	Flange Insulation Kits	FY18 Q4	Angie Martinson	angie.martinson@cns.doe.gov
VEN-P3-0358	Vertical Reciprocating Conveyors	FY18 Q4	Keri Smith	keri.smith@cns.doe.gov
VEN-F5-7514	Security Communication System	FY18 Q4	Garrett Smith	garrett.smith@cns.doe.gov
VEN-F6-5003	Pipe Hangers (Engineered)	FY18 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F6-5006	Pipe Hangers (Standard)	FY18 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F6-5009	Pipe Hangers (Bulk)	FY18 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F2-8013	Single Stage Filter Housings	FY18 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F5-5005	Pipe Hangers	FY17 Q3	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F5-7684	Multi-Variable Flow Meters	FY18 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F5-7515	Security Consoles	FY18 Q4	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F4-7236	Distribution Transformers	FY18 Q4	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F6-5008	Pipe Hangers (Bulk)	FY18 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F1-6620	Drain's Collection Tanks (DR)	FY18 Q4	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F4-7237	Communications - ENS / PA	FY18 Q4	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F4-7240	Local Control Stations / Switches	FY18 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-P5-0511	Three-Can Fissile Transfer Cart	FY18 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F9-9071	HPLR Steel Plating	FY18 Q3	Tiffany Roberts	tiffany.roberts@cns.doe.gov

VEN-F5-7560	Crit Alarm System (Detectors, Processor, etc.)	FY18 Q3	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F5-7622	Control Valves On/Off Q	FY18 Q3	Garrett Smith	garrett.smith@cns.doe.gov
VEN-F1-6531	Critical Flow Venturi (CFV) Assemblies	FY18 Q3	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F5-7520	PIDAS Equipment	FY18 Q3	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F6-5024	Bulk Pipe (Non-Spoiled) (Q)	FY18 Q3	Don Owens	donald.owens@cns.doe.gov
VEN-F6-5149	Manual Valves (Ball/Plug) (Q)	FY18 Q3	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F6-5062	Spoiled Pipe (Q)	FY18 Q3	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F1-6510	Bridge Cranes	FY18 Q3	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F7-6131	Architectural Casework	FY18 Q3	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F1-6512	Jib Cranes	FY18 Q4	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F1-6523	P10 Bottle Tank System	FY18 Q4	Angie Martinson	angie.martinson@cns.doe.gov
VEN-P2-0270	NDA Solution Assay System	FY18 Q4	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-P2-0269	NDA Gamma Counter	FY18 Q4	Keri Smith	keri.smith@cns.doe.gov
VEN-F1-6631	Potable Water Backflow Preventer Assemblies	FY18 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-F9-9080	Interior/Exterior Bollards	FY18 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-P1-0119	Gloveport Gloves	FY19 Q1	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F1-6590	Particulate AIR FILTER (G)	FY18 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F1-6541	Breathing Air Station (BAS)	FY19 Q1	Keith Mettler	keith.mettler@cns.doe.gov
VEN-P5-0504	Furnace Off Gas Coolers	FY19 Q1	Angie Martinson	angie.martinson@cns.doe.gov
VEN-F1-6522	Hydrogen Bottle Tank	FY19 Q1	Adam Luquire	adam.luquire@cns.doe.gov
VEN-P3-0301	Casting Main Glovebox Line	FY19 Q1	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F1-6612	Potable Water Heater	FY19 Q1	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-P1-0119	Gloveport Gloves	FY19 Q1		
VEN-F9-9051	Post-Installed anchor bolts	FY19 Q1	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F4-7150	Control Cable (Q)	FY19 Q1	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F1-6522	Hydrogen Bottle Tank System	FY19 Q1	Keith Mettler	keith.mettler@cns.doe.gov
VEN-P7-0708	PSF Pumps	FY19 Q1	Jim Thomas	james.thomas@cns.doe.gov
VEN-F1-6611	Potable Water TANKLESS WATER HEATERS	FY19 Q1	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F5-7560	Crit Alarm System (Detectors, Processor, etc.)	FY19 Q1	Mike Hill	mike.hill@cns.doe.gov

VEN-P2-0271	NDA Density Meter	FY19 Q1	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F5-7610	Special Nuclear Detection Units	FY19 Q1	Timothy Seales	timothy.seales@cns.doe.gov
VEN-P3-0342	Custom Designed Hoods	FY19 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F5-7600	Seismic Switches	FY19 Q4	Mike Hill	mike.hill@cns.doe.gov
VEN-P7-0707	PSF DU Dissolver Hood	FY19 Q4	Adam Luquire	adam.luquire@cns.doe.gov
VEN-F2-8021	Stack Booster Fans	FY19 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-F2-8020	PCS Fans – Standalone	FY19 Q4	Devon Crass	ronnie.crass@cns.doe.gov
VEN-P6-0617	High Pressure Piping/Manifolds	FY19 Q4	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-P6-0643	Glass Tanks and Components	FY19 Q4	Angie Martinson	angie.martinson@cns.doe.gov
VEN-P5-0514	TOAD Device	FY19 Q3	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F2-8012	PCS Air Filter Housings (Process Area) – Square HEPA Filter Housings	FY19 Q3	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-P6-0637	Organic Stainless Steel Tank	FY19 Q3	Adam Luquire	adam.luquire@cns.doe.gov
VEN-P6-0627	Condensers	FY19 Q3	Garrett Smith	garrett.smith@cns.doe.gov
VEN-P6-0628	Coolers	FY19 Q3	Keri Smith	keri.smith@cns.doe.gov
VEN-P5-0512	Bird Cage Replacement Device	FY19 Q3	Angie Martinson	angie.martinson@cns.doe.gov
VEN-F5-7512	Personnel Monitoring Equipment	FY19 Q3	Timothy Seales	timothy.seales@cns.doe.gov
VEN-F4-7030	13.8kV/480V Unit Substations	FY19 Q3	Mike Hill	mike.hill@cns.doe.gov
VEN-F2-8045	Intake Louvers	FY19 Q3	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F5-7673	Bubbler Panel	FY19 Q3	Annette Brooks	annette.brooks@cns.doe.gov
VEN-F5-7530	Rad Control Monitoring	FY19 Q3	Annette Brooks	annette.brooks@cns.doe.gov
VEN-F1-6514	Package Lifting Device	FY19 Q3	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F2-8010	PCS Air Filter Housings (Utility Floor) – HEPA w/o Fans – Hoods & Gloveboxes	FY19 Q4	Annette Brooks	annette.brooks@cns.doe.gov
VEN-F8-8540	Security Fencing	FY19 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-F2-8085	Building Stacks	FY19 Q4	Keri Smith	keri.smith@cns.doe.gov
VEN-F1-6581	Demineralized Water Tank & Pump Package (MWD)	FY19 Q4	Mike Hill	mike.hill@cns.doe.gov
VEN-P7-0708	PSF Pumps	FY19 Q4	Jim Thomas	james.thomas@cns.doe.gov
VEN-F5-7673	Bubbler Panel	FY19 Q4	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F1-6533	Air Sampling Workstation	FY19 Q4	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F1-6690	Contaminated Maintenance Machine Tools	FY19 Q4	Darlene Eaves	darlene.eaves@cns.doe.gov

VEN-F1-6530	AIR SAMPLING SYSTEM BLOWER PACKAGE	FY19 Q4	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F5-7516	Security Panels	FY18 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-P6-0625	CFC Floor Scrubbers	FY20 Q1	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-P2-0273	NDA Active Well Counter	FY20 Q1	Don Owens	donald.owens@cns.doe.gov
VEN-F5-7570	RadCon Air Monitoring Devices	FY20 Q1	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F2-8005	Heating and Ventilating Units	FY20 Q1	Keith Mettler	keith.mettler@cns.doe.gov
VEN-P7-0716	PSF Pour-Up Tanks	FY20 Q1	Garrett Smith	garrett.smith@cns.doe.gov
VEN-F5-7550	Stack Monitoring Equipment Hardware	FY20 Q1	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F2-8003	AHU Small Commercial type systems	FY20 Q1	Timothy Seales	timothy.seales@cns.doe.gov
VEN-P6-0601	Bulk WasteWater Tank	FY20 Q4	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-P7-0713	PSF SEAL POTS	FY20 Q4	Annette Brooks	annette.brooks@cns.doe.gov
VEN-F5-7702	Motor Operated Needle Valves (Q)	FY20 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-P7-0702	PSF Process Condenser	FY20 Q4	Jim Thomas	james.thomas@cns.doe.gov
VEN-F5-7709	Temperature Transmitters (non-Q)	FY20 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-F5-7698	Oxygen Sensors (Q)	FY20 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F5-7703	V-Cone Flowmeters (Safety) (Q)	FY20 Q4	Melinda Durden	melinda.durden@cns.doe.gov
VEN-P6-0636	NFC Floor Cleaners	FY20 Q4	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F5-7699	Carbon Monoxide Sensors (Q)	FY20 Q4	Keith Mettler	keith.mettler@cns.doe.gov
VEN-F5-7681	Level Transmitters	FY20 Q4	Don Owens	donald.owens@cns.doe.gov
VEN-P7-0709	PSF Samplers	FY20 Q4	Annette Brooks	annette.brooks@cns.doe.gov
VEN-F5-7690	Pressure Transmitters - HVAC	FY20 Q4	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F5-7651	Leak Detection Hardware	FY20 Q4	Amina Khaliq	amina.khaliq@cns.doe.gov
VEN-F5-7691	Rotometers	FY20 Q4	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F5-7695	Vortex Flow Meters	FY20 Q4	Devon Crass	ronnie.crass@cns.doe.gov
VEN-F1-6534	Utility Station Connectors	FY20 Q4	Kenneth Jackson	kenneth.jackson@cns.doe.gov
VEN-F5-7675	Coriolis Flow Meters	FY20 Q4	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-P2-0150	Vacuum Annealing Furnace	FY20 Q4	Mike Hill	mike.hill@cns.doe.gov
VEN-P6-06Q4	Steam Traps	FY20 Q3	Keri Smith	keri.smith@cns.doe.gov
VEN-F5-7686	Pilot Tube Flow Transmitters	FY20 Q3	Devon Crass	ronnie.crass@cns.doe.gov
VEN-P2-0155	Liquid Carts	FY20 Q3	Mike Hill	mike.hill@cns.doe.gov
VEN-F5-7520	PIDAS Equipment	FY18 Q3	Garrett Smith	garrett.smith@cns.doe.gov
VEN-P7-0704	PSF Mist Eliminator	FY20 Q3	Amina Khaliq	amina.khaliq@cns.doe.gov

VEN-F1-6522	Hydrogen Bottle Tank System	FY19 Q1	Adam Luquire	adam.luquire@cns.doe.gov
VEN-P2-0130	Coalescers	TBD	Annette Brooks	annette.brooks@csn.doe.gov
VEN-P6-0632	POG Scrubber Offgas Heater	TBD	Angie Martinson	angie.martinson@cns.doe.gov
VEN-P6-0647	Pressure Safety Elements (Rupture Discs)	TBD	Darlene Eaves	darlene.eaves@cns.doe.gov
VEN-F1-6631	SSEW and FDR Floor Drains	TBD	Don Owens	donald.owens@cns.doe.gov
VEN-F8-8525	PSF Tanker Truck Platform	TBD	Don Owens	donald.owens@cns.doe.gov
VEN-F2-8007	Electrical Baseboard and Unit Heater	TBD	Don Owens	donald.owens@cns.doe.gov
VEN-P6-0645	Miscellaneous Flex Hoses (Q)	TBD	Garrett Smith	garrett.smith@cns.doe.gov
VEN-C4-0081	Formwork	TBD	Melinda Durden	melinda.durden@cns.doe.gov
VEN-F1-6525	Backup N2 Supply	TBD	Mike Hill	mike.hill@cns.doe.gov
VEN-P6-0646	Furnace Offgas Blowers	TBD	Mike Hill	mike.hill@cns.doe.gov
VEN-F1-6681	Condensate Drain Pumps	TBD	Tiffany Roberts	tiffany.roberts@cns.doe.gov
VEN-F1-6557	Drain System Turbine Pump	TBD	Timothy Seales	timothy.seales@cns.doe.gov

Bid Opportunities for Subcontracts and Services

Request for				
Package ID	Description	Proposal Issue Date	Subcontract Administrator	E-mail
VEN-C2-0087	CSB Furniture S/C [Purchase and Install]	FY17 Q3	Mike Weaver	Michael.Weaver@cns.doe.gov
VEN-F6-5120	Pipe Insulation S/C	FY17 Q3	Tommy Wynn	thomas.wynn@cns.doe.gov
VEN-F7-6020	Architectural Interior/Exterior Coatings S/C	FY17 Q3	Tommy Wynn	thomas.wynn@cns.doe.gov
VEN-F7-6090	Interior Finishes S/C	FY17 Q3	Tommy Wynn	thomas.wynn@cns.doe.gov
VEN-F7-6120	Penetration Seals S/C	FY17 Q3	Anthony LaBanca	anthony.labanca@cns.doe.gov
VEN-F1-6520	Argon and Nitrogen Storage Package S/C	FY17 Q3	Robert Bennett	robert.bennett@cns.doe.gov
VEN-F3-9530	Fire Water Tank S/C	FY17 Q3	Tommy Wynn	thomas.wynn@cns.doe.gov
VEN-F1-6501	Cooling Tower S/C	FY17 Q4	Anthony LaBanca	anthony.labanca@cns.doe.gov
VEN-F4-72Q4	13.8kV Overhead Line S/C	FY17 Q4	Rachelle Osborne-Brown	rachelle.osbornebrown@cns.doe.gov
VEN-F4-7200	Fire Detection and Alarm S/C	FY17 Q4	Tommy Wynn	thomas.wynn@cns.doe.gov

VEN-F2-8070	HVAC Installation S/C	FY18 Q1	Rachelle Osborne-Brown	rachelle.osbornebrown@cns.doe.gov
VEN-F7-6150	Misc. Interior Finishes S/C	FY18 Q1	Anthony LaBanca	anthony.labanca@cns.doe.gov
VEN-F3-9510	Fire Protection Pipe S/C	FY18 Q1	Anthony LaBanca	anthony.labanca@cns.doe.gov
VEN-F5-7580	UTR Radio Repeater System (Antennas and Hardware)	FY18 Q4	Rachelle Osborne-Brown	rachelle.osbornebrown@cns.doe.gov
VEN-F7-6010	Fire Proofing S/C	FY18 Q4	Tommy Wynn	thomas.wynn@cns.doe.gov
VEN-F3-9512	FM-200 Fire Supression System S/C	FY18 Q4	Robert Bennett	robert.bennett@cns.doe.gov
VEN-F7-6050	Building Roofing S/C	FY18 Q3	Shirley Marion	shirley.marion@cns.doe.gov
VEN-F7-6040	Building Exterior Siding S/C	FY18 Q3	Tommy Wynn	thomas.wynn@cns.doe.gov
VEN-F8-8500	Civil Third Party Testing	FY18 Q3	Shirley Marion	shirley.marion@cns.doe.gov
VEN-F7-6030	PSF Building S/C	FY18 Q4	Laura Price	laura.price@cns.doe.gov
VEN-F3-9535	Fire Water Tank Pump House S/C	FY18 Q4	Tommy Wynn	thomas.wynn@cns.doe.gov
VEN-F7-6022	Roll-up Doors S/C	FY19 Q1	Robert Bennett	robert.bennett@cns.doe.gov
VEN-F8-8530	Yard - Finish Paving S/C	FY19 Q1	Laura Price	laura.price@cns.doe.gov